# **SALT TOLERANT PLANTS**

## **Recommended for Pender County Landscapes**

**Pender County Cooperative Extension** 

**Urban Horticulture Leaflet 14** 



## **Coastal Challenges**

Plants growing at the beach are subjected to environmental conditions much different than those planted further inland. Factors such as blowing sand, poor soils, high temperatures, and excessive drainage all influence how well plants perform in coastal landscapes, though the most significant effect on growth is salt spray. Most

plants will not tolerate salt accumulating on their foliage, making plant selection for beachfront landscapes particularly challenging.

## Salt Spray

Salt spray is created when waves break on the beach, throwing tiny droplets of salty water into the air. On-shore breezes blow this salt laden air landward where it comes in contact with plant foliage. The amount of salt spray plants receive varies depending on their proximity to the beachfront, creating different vegetation zones as one gets further away from the beachfront. The most salt-tolerant species surviving in the frontal dune area. As distance away from the ocean increases, the level of salt spray decreases, allowing plants with less salt tolerance to survive.

#### **Natural Protection**

The impact of salt spray on plants can be lessened by physically blocking salt laden winds. This occurs naturally in the maritime forest, where beachfront plants protect landward species by creating a layer of foliage that blocks salt spray. It is easy to see this effect on the ocean side of maritime forest plants, which are "sheared" by salt spray, causing them to grow at a slant away from the oceanfront. Removal of this "shear zone" during construction opens holes that allow salt spray to blow through, damaging plants that were previously protected.

#### **Manmade Protection**

Buildings, fences and other structures that block blowing salt spray also allow plants with less salt tolerance to grow landward of a structure. Homes near the ocean will have two distinct micro environments based on salt spray. The side of the house facing the ocean will require landscape plants with high salt tolerance. The landscape area on the landward side that is protected from salt laden winds may be planted with species having little or no salt tolerance depending upon the degree they are protected from blowing winds. Frequent overhead irrigation rinses salt accumulations off plant foliage, reducing the impact to less salt-tolerant species.

## **Landscaping at the Beach**

The following plant lists have been compiled to assist homeowners and landscape professionals to choose plants appropriately for coastal landscapes. The lists are divided by plant type (trees, shrubs, vines, groundcovers, etc.) and three levels of salt tolerance (high, moderate, slight) and have been compiled from the references listed on the last page as well as personal observation.

Properties within at least one-eighth of a mile of the oceanfront should be landscaped with plants known to have some level of salt tolerance. Properties along or near brackish water estuaries should also be landscaped with plants possessing some degree of salt tolerance, though not necessarily as high as those on the oceanfront. During hurricanes and coastal storms, salt laden winds extend further inland than normal. This causes damage to plants that are not salt tolerant, though they generally recover following the storm event.

Other factors to take into consideration when choosing plants for coastal landscapes include soil pH, which can be determined by sending a soil sample to the NC Department of Agriculture (boxes, forms and instructions are available from your local Cooperative Extension office), sun and wind exposure, and soil type. Incorporating composted organic matter into the soil will greatly increase the soil's ability to hold moisture and improve plant growth. Applying two to four inches of mulch will also help plant growth by reducing soil temperature and conserving moisture. Organic mulches such as pine straw or shredded bark mulches decompose over time, adding to the organic matter content of the soil.

## **Dune Preservation and Vegetation Restoration:**

Preservation of the natural dune system and its native vegetation is critical to protecting both natural and manmade coastal landscapes. More information about the natural dune system and restoring its vegetation is available online as follows:

Restoration and Management of Coastal Dune Vegetation, from the NCSU Soil Science Department: <a href="http://www.soil.ncsu.edu/lockers/Broome\_S/ram.html">http://www.soil.ncsu.edu/lockers/Broome\_S/ram.html</a>

*The Dune Book*, by David Nash and Spencer Rogers, available from NC Sea Grant at: <a href="http://www.ncseagrant.org/files/dune\_booklet.pdf">http://www.ncseagrant.org/files/dune\_booklet.pdf</a>

# Key 3 Small Trees 4-5 Large Trees 5-6 Shrubs 6-9 Vines 9 Palms 9 Ornamental Grasses 10 Perennials 10-12 Turf Grasses 12 Annuals 13 Groundcovers 14 References 15

## Key to Plant Lists

## **Highly Salt Tolerant**

Plants tolerant of the direct salt spray such as that received along dunes and immediately adjacent to the oceanfront.

## **Moderately Salt Tolerant**

Plants tolerant of moderate levels of salt spray, such as that received in landscapes adjacent to the beach front, but which are sheltered by other plants, structures or natural dunes.

#### **Slightly Salt Tolerant**

Plants with the lowest level of tolerance to salt spray. These plants should be used only in areas receiving some protection from direct salt spray, either from a building or other vegetation. In areas that are completely sheltered, plants with no known salt tolerance can be grown.

#### **Underlined Plants**

Plants that are extremely tolerant of growing in sandy, poor soils and display extreme drought tolerance once established.

#### \* Native

Plants that are native to the coastal plains of the southeast USA, ranging from New Jersey south along the Atlantic Seaboard through Florida and along the Gulf Coast to East Texas.

#### 'Cultivar Names'

Cultivar names are written in single quotes. Cultivars, or varieties, are plants that have been selected because they display desirable characteristics such as larger flowers, different color foliage, more compact growth, etc. Cultivars are propagated vegetatively (cuttings, division, tissue culture) so they are genetically identical to each other.

#### **Evergreen/Deciduous**

E or D refers to whether a plant is evergreen (retains its foliage all year) or deciduous (sheds its foliage each fall and grows new leaves in spring).

#### **Exposure**

Refers to the amount of sunlight a site receives as follows:

- Full sun indicates a site that receives at least 8hrs of direct sun each day.
- **Light Shade** indicates a site that is shaded less than half of the day by a light high shade such as that cast by pines.
- Part Shade indicates a site that is shaded for half the day by a dense shade like that cast by buildings or shade trees.
- **Full Shade** indicates a site that is in shade all day.

#### Soil

Refers to soil condition at the site as follows:

- Wet indicates a site that stays moist most of the time and receives periodic flooding.
- Moist indicates a site that is moist most of the time with brief (less than 12hrs) periods of standing water.
- Well Drained indicates a site where water drains from the surface and rarely stands.
- **Xeric** indicates a site that is extremely dry and sandy with very little ability to hold water.

Small Trees—Highly Salt Tolerant

| Common Name         | Botanical Name                      | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil                     | Exposure           |
|---------------------|-------------------------------------|-------------------------|-------------------------|--------------------------|--------------------|
| Yaupon*             | Ilex vomitoria                      | 15-20 x 10-15           | Е                       | Moist to Xeric           | Sun to Light Shade |
| Waxmyrtle*          | Myrica cerifera                     | 10-20 x 10-20           | Е                       | Moist to Xeric           | Sun to Light Shade |
| Devilwood*          | Osmanthus americanus                | 15-25 x 10-20           | Е                       | Moist to Well<br>Drained | Sun to Light Shade |
| Redbay*             | Persea borbonia                     | 20-30 x 15-25           | Е                       | Moist to Xeric           | Sun to Light Shade |
| Japanese Black Pine | Pinus thunbergii                    | 20-40 x 15-25           | E                       | Well Drained to<br>Xeric | Sun                |
| Chinese Podocarpus  | Podocarpus macro-<br>phyllus 'Maki' | 20-30 x 10-15           | Е                       | Well Drained             | Sun to Part Shade  |
| Sand Live Oak*      | Quercus geminata                    | 20-30 x 30-40           | Е                       | Well Drained to<br>Xeric | Sun                |

# Small Trees—Moderately Salt Tolerant

| Common Name               | Botanical Name   | Height x<br>Spread (ft)                  | Evergreen/<br>Deciduous | Soil                     | Exposure              |
|---------------------------|--|--|-------------------------|--------------------------|-----------------------|
| Trident Maple             | Acer buergerianum  | 20-25 x 10-15                            | D                       | Well Drained             | Sun                   |
| Arizona Cypress           | Cupressus arizonica  | 10-30 x 8-20                             | Е                       | Well Drained             | Sun                   |
| Italian Cypress           | Cupressus sempervirens                                       | 20-30 x 4-8                              | Е                       | Well Drained             | Sun                   |
| Loquat                    | Eriobotrya japonica  | 15-20 x 15-20                            | Е                       | Well Drained             | Sun to Light<br>Shade |
| <u>Eucalyptus</u>         | Eucalyptus cinerea   | 15-30 x 10-20                            | Е                       | Well Drained             | Sun                   |
| Dahoon Holly*             | Ilex cassine   | 20-30 x 8-15                             | Е                       | Moist to Well<br>Drained | Sun                   |
| Myrtle Leaf Holly*        | Ilex cassine variety myrtifolia                              | 10-20 x 8-12                             | Е                       | Well Drained             | Sun                   |
| American Holly*           | Ilex opaca   | 20-30 x 15-20                            | E                       | Moist to Well<br>Drained | Sun to Part<br>Shade  |
| Foster's Holly*           | Ilex x attenuata 'Fosters'                                   | 20-30 x 10-15                            | E                       | Moist to Well<br>Drained | Sun to Part<br>Shade  |
| 'Nellie Stevens' Holly    | Ilex x 'Nellie R. Stevens'                                   | 15-25 x 10-15                            | E                       | Moist to Well<br>Drained | Sun to Part<br>Shade  |
| Hollywood Juniper         | Juniperus chinensis<br>'Kaizuka' also known as<br>'Torulosa' | 15-25 x 8-15                             | E                       | Well Drained<br>to Xeric | Sun                   |
| Crape Myrtle              | Lagerstroemia hybrids – many varieties available             | 15-30 x 10-25<br>Depending on<br>Variety | D                       | Well Drained             | Sun                   |
| 'Little Gem'<br>Magnolia* | Magnolia grandiflora<br>'Little Gem'                         | 20-25 x 10-15                            | E                       | Moist to Well<br>Drained | Sun to Part<br>Shade  |
| Sweet Bay*                | Magnolia virginiana  | 20-30 x 10-20                            | Semi-E                  | Moist to Well<br>Drained | Sun to Part<br>Shade  |

## Small Trees—Moderately Salt Tolerant, continued

| Common Name               | Botanical Name      | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil                     | Exposure              |
|---------------------------|---------------------|-------------------------|-------------------------|--------------------------|-----------------------|
| Sourwood*                 | Oxydendrum arboreum | 25-30 x 15-20           | D                       | Well Drained             | Sun to Part<br>Shade  |
| Carolina<br>Cherrylaurel* | Prunus caroliniana  | 20-30 x 15-20           | E                       | Well Drained<br>to Xeric | Sun to Light<br>Shade |
| Japanese Snowbell         | Styrax japonicus    | 20-30 x 20-30           | D                       | Well Drained             | Sun to Part<br>Shade  |
| <u>Tamarix</u>            | Tamarix ramosissima | 10-20 x 8-12            | D                       | Well Drained<br>to Xeric | Sun                   |
| <u>Chastetree</u>         | Vitex agnus-castus  | 15-20 x 10-15           | D                       | Well Drained             | Sun                   |

# LARGE TREES, Over 30'

# Large Trees—Highly Salt Tolerant

| Common Name            | Botanical Name        | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil                     | Exposure          |
|------------------------|-----------------------|-------------------------|-------------------------|--------------------------|-------------------|
| Thornless Honeylocust* | Gleditsia triacanthos | 40-60 x 20-40           | D                       | Well Drained             | Sun               |
| Eastern Red Cedar*     | Juniperus virginiana  | 30-50 x 10-20           | Е                       | Well Drained<br>to Xeric | Sun               |
| Southern Magnolia*     | Magnolia grandiflora  | 60-80 x 30-50           | Е                       | Well Drained             | Sun to Part Shade |
| Willow Oak*            | Quercus phellos       | 80-100 x 40-50          | D                       | Moist to Well<br>Drained | Sun               |
| Live Oak*              | Quercus virginiana    | 60-80 x 60-80           | Е                       | Well Drained<br>to Xeric | Sun               |

# Large Trees - Moderately Salt Tolerant

| Common Name             | Botanical Name             | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil                     | Exposure |
|-------------------------|----------------------------|-------------------------|-------------------------|--------------------------|----------|
| River Birch*            | Betula nigra               | 40-70 x 40-60           | D                       | Moist to Well<br>Drained | Sun      |
| Atlas Cedar             | Cedrus atlantica           | 40-60 x 30-40           | Е                       | Well Drained             | Sun      |
| Deodar Cedar            | Cedrus deodora             | 50-70 x 50-70           | E                       | Well Drained             | Sun      |
| Sugarberry*             | Celtis laevigata           | 60-80 x 50-70           | D                       | Moist to Well<br>Drained | Sun      |
| Ginkgo, Maidenhair Tree | Ginkgo biloba              | 50-70 x 30-40           | D                       | Well Drained             | Sun      |
| Black Gum*              | Nyssa sylvatica            | 30-50 x 20-30           | D                       | Moist to Well<br>Drained | Sun      |
| Laurel Oak*             | Quercus hemi-<br>sphaerica | 40-60 x 30-40           | Е                       | Moist to Well<br>Drained | Sun      |
| Water Oak*              | Quercus nigra              | 50-80 x 30-60           | D                       | Moist to Well<br>Drained | Sun      |

## Large Trees—*Moderately Salt Tolerant*, continued

| Common Name   | Botanical Name       |               | Evergreen/<br>Deciduous |                          | Exposure |
|---------------|----------------------|---------------|-------------------------|--------------------------|----------|
| Shumard Oak*  | Quercus shumardii    | 40-60 x 40-60 | D                       | Moist to Well<br>Drained | Sun      |
| Black Locust* | Robinia pseudoacacia | 30-50 x 20-35 | D                       | Moist to Xeric           | Sun      |
| Lacebark Elm  | Ulmus parvifolia     | 40-50 x 30-40 | D                       | Well Drained             | Sun      |

Large Trees—Slightly Salt Tolerant

| Common Name     | Botanical Name       |               | Evergreen/<br>Deciduous |                          | Exposure |
|-----------------|----------------------|---------------|-------------------------|--------------------------|----------|
| Japanese Cedar  | Cryptomeria japonica | 40-60 x 20-30 | Е                       | Moist to Well<br>Drained | Sun      |
| American Beech* | Fagus grandifolia    | 50-70 x 40-60 | D                       | Well Drained             | Sun      |
| Baldcypress*    | Taxodium distichum   | 50-70 x 20-30 | D                       | Wet to Well<br>Drained   | Sun      |

# SHRUBS

Shrubs—Highly Salt Tolerant

|                                      | Om abo  | nginy care               |                         |                          |                        |
|--------------------------------------|---|--------------------------|-------------------------|--------------------------|------------------------|
| Common Name                          | Botanical Name  | Height x<br>Spread (ft.) | Evergreen/<br>Deciduous | Soil                     | Exposure               |
| Century Plant                        | Agave americana   | 5-7 x 8-12               | Е                       | Well Drained to<br>Xeric | Sun                    |
| Elaeagnus                            | Elaeagnus pungens<br>Elaeagnus x ebbingii                     | 10-15 x 10-15            | E                       | Well Drained to<br>Xeric | Sun to Part<br>Shade   |
| Dwarf Yaupon Holly*                  | <i>Ilex vomitoria</i> 'Nana', 'Bordeaux', 'Schilling's'       | 3-4 x 4-5                | Е                       | Well Drained to<br>Xeric | Sun to Part<br>Shade   |
| <u>Oleander</u>                      | Nerium oleander   | 6-10 x 4-8               | Е                       | Well Drained to<br>Xeric | Sun                    |
| New Zealand Flax                     | Phormium tenax  | 4-6 x 4-6                | Е                       | Well Drained             | Sun                    |
| <u>Pittosporum</u>                   | Pittosporum tobira  | 6-8 x 6-8                | Е                       | Well Drained to<br>Xeric | Sun to Part<br>Shade   |
| Dwarf Pittosporum                    | Pittosporum tobira 'Wheeler's Dwarf', 'Mojo', 'Cream de Mint' | 3-4 x 3-5                | E                       | Well Drained to<br>Xeric | Sun to Part<br>Shade   |
| 'Majestic Beauty' Indian<br>Hawthorn | Rhaphiolepis umbellata 'Majestic Beauty'                      | 8-10 x 8-10              | Е                       | Well Drained             | Sun                    |
| Rugosa Rose                          | Rosa rugosa   | 3-5 x 4-6                | D                       | Well Drained             | Sun                    |
| Rosemary                             | Rosmarinus officinalis  | 3-6 x 3-6                | Е                       | Well Drained to<br>Xeric | Sun                    |
| Butcher's Broom                      | Ruscus aculeatus  | 2-3 x 2-3                | Е                       | Well Drained             | Part Shade to<br>Shade |
| Sandwanka Viburnum                   | Viburnum suspensum  | 4-8 x 4-8                | Е                       | Well Drained to<br>Xeric | Sun                    |
| Yucca*                               | Yucca gloriosa<br>Yucca aloifolia                             | 6-8 x 4-8                | Е                       | Well Drained to<br>Xeric | Sun                    |

# Shrubs—*Moderately Salt Tolerant*

| Common Name                         | Botanical Name  | Height x<br>Spread (ft.)        | Evergreen/<br>Deciduous | Soil                     | Exposure               |
|-------------------------------------|---|---------------------------------|-------------------------|--------------------------|------------------------|
| Japanese Aucuba                     | Aucuba japonica   | 5-8 x 4-6                       | Е                       | Well Drained             | Part to Full<br>Shade  |
| Dwarf Aucuba                        | Aucuba japonica 'Nana'  | 3-4 x 2-3                       | Е                       | Well Drained             | Part to Full<br>Shade  |
| Hedge Bamboo                        | Bambusa multiplex   | 15-20 x 6-10                    | E                       | Well Drained             | Light to Part<br>Shade |
| Wintergreen Barberry                | Berberis julianae   | 6-8 x 6-8                       | E                       | Well Drained             | Sun                    |
| <u>Bottlebrush</u>                  | Callistemon rigidus   | 5-6 x 5-6                       | E                       | Well Drained             | Sun                    |
| Flowering Quince                    | Chaenomeles speciosa  | 6-10 x 6-10                     | D                       | Well Drained             | Sun to Light<br>Shade  |
| Sweet Pepperbush,<br>Clethra*       | Clethra alnifolia   | 4-8 x 3-6                       | D                       | Moist to Well<br>Drained | Sun to Part<br>Shade   |
| Dwarf Sweet Pepperbush,<br>Clethra* | Clethra alnifolia<br>'Hummingbird', 'White<br>Doves', 'Sixteen Candles' | 2-3 x 4-6                       | D                       | Moist to Well<br>Drained | Sun to Part<br>Shade   |
| Fragrant Daphne                     | Daphne odora  | 2-3 x 2-3                       | Е                       | Well Drained             | Part Shade             |
| Japanese Euonymus                   | Euonymus japonicus  | 4-10 x 3-6                      | E                       | Well Drained             | Sun to Shade           |
| Fatsia                              | Fatsia japonica   | 6-8 x 6-8                       | Е                       | Well Drained             | Part to Full<br>Shade  |
| Pineapple Guava                     | Feijoa sellowiana   | 6-10 x 5-8                      | E                       | Well Drained             | Sun                    |
| Forsythia                           | Forsythia x intermedia  | 8-12 x 8-12                     | D                       | Well Drained             | Sun to Light<br>Shade  |
| Rose of Sharon                      | Hibiscus syriacus   | 8-12 x 6-10                     | D                       | Well Drained             | Sun                    |
| Bigleaf Hydrangea                   | Hydrangea macrophylla<br>Many varieties available                       | 4-6 x 4-8                       | D                       | Well Drained             | Light to Part<br>Shade |
| 'Carissa' Holly                     | Ilex cornuta 'Carissa'  | 3-4 x 4-5                       | Е                       | Well Drained             | Sun to Part<br>Shade   |
| 'Rotunda' Holly                     | Ilex cornuta 'Rotunda'  | 3-4 x 4-5                       | Е                       | Well Drained             | Sun to Part<br>Shade   |
| 'Needlepoint' Holly                 | Ilex cornuta 'Needlepoint'  | 8-15 x 6-12                     | Е                       | Well Drained             | Sun to Light<br>Shade  |
| Inkerry Holly*                      | Ilex glabra   | 5-8 x 5-8                       | Е                       | Moist to Well<br>Drained | Sun to Light<br>Shade  |
| Chinese Juniper                     | Juniperus chinensis<br>Many varieties available                         | 2-12 x 4-8 depending on variety | E                       | Well Drained<br>to Xeric | Sun                    |
| Texas Sage                          | Leucophyllum frutescens   | 4-6 x 4-6                       | Е                       | Well Drained             | Sun                    |
| Japanese Privet                     | Ligustrum japonicum   | 6-12 x 5-10                     | Е                       | Well Drained             | Sun to Light<br>Shade  |
| Leatherleaf Mahonia                 | Mahonia bealei  | 6-8 x 3-4                       | Е                       | Well Drained             | Part to Full<br>Shade  |
| Firethorn, Pyracantha               | Pyracantha coccinea   | 6-10 x 4-8                      | Е                       | Well Drained             | Sun to Light<br>Shade  |
| Indian Hawthorne                    | Rhaphiolepis indica   | 2-4 x 3-5                       | Е                       | Well Drained             | Sun                    |

## Shrubs—Moderately Salt Tolerant, continued

| Common Name                            | Botanical Name   | Height x<br>Spread (ft.) | Evergreen/<br>Deciduous | Soil                     | Exposure               |
|--|--|--------------------------|-------------------------|--------------------------|------------------------|
| Azaleas -<br>Southern Indica Varieties | Rhododendron 'Formosa', 'G.G. Gerbing', 'George Tabor' | 6-8 x 6-8                | E                       | Well Drained             | Light to Part<br>Shade |
| Satsuki Azaleas                        | Rhododendron Satsuki<br>Varieties, 'Gumpo' Series      | 2-3 x 3-4                | E                       | Well Drained             | Light to Part<br>Shade |
| Stinking Viburnum                      | Viburnum odoratissimum                                 | 8-15 x 6-12              | E                       | Well Drained             | Sun to Part<br>Shade   |
| Adam's Needle Yucca*                   | Yucca filamentosa                                      | 2-4 x 2-4                | E                       | Well Drained<br>to Xeric | Sun                    |

# Shrubs—Slightly Salt Tolerant

| Common Name                 | Botanical Name  | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil                     | Exposure               |
|-----------------------------|---|-------------------------|-------------------------|--------------------------|------------------------|
| Abelia                      | Abelia x grandiflora                                      | 4-8 x 4-6               | Е                       | Well Drained             | Sun to Part<br>Shade   |
| 'Brilliant' Chokeberry*     | Aronia arbutifolia 'Brilliantissima'                      | 6-8 x 6-8               | D                       | Moist to Well<br>Drained | Sun to Light<br>Shade  |
| Japanese Barberry           | Berberis thunbergii                                       | 2-3 x 3-4               | D                       | Well Drained             | Sun to Light<br>Shade  |
| Butterfly Bush              | Buddleia davidii  | 4-8 x 4-6               | D                       | Well Drained             | Sun to Light<br>Shade  |
| American Beautyberry*       | Callicarpa americana                                      | 4-6 x 4-6               | D                       | Moist to Well<br>Drained | Sun to Part<br>Shade   |
| Japanese Camellia           | Camellia japonica Many varieties available                | 6-12 x 4-8              | E                       | Well Drained             | Light to Part<br>Shade |
| Sasanqua Camellia           | Camellia sasanqua   | 6-10 x 4-8              | E                       | Well Drained             | Light to Part<br>Shade |
| Gardenia                    | Gardenia jasminoides                                      | 4-8 x 4-8               | Е                       | Well Drained             | Sun to Light<br>Shade  |
| Winterberry*                | Ilex verticillata   | 6-10 x 6-10             | D                       | Moist to Well<br>Drained | Sun to Light<br>Shade  |
| Banana Shrub                | Michelia figo   | 6-8 x 6-8               | Е                       | Well Drained             | Sun to Part<br>Shade   |
| Nandina, Heavenly<br>Bamboo | Nandina domestica   | 5-8 x 3-4               | Е                       | Well Drained             | Sun to Part<br>Shade   |
| Dwarf Nandina               | Nandina domestica 'Firepower', 'Moon Bay', 'Harbor Belle' | 2-4 x 1-3               | E                       | Well Drained             | Sun to Part<br>Shade   |
| Tea Olive, Osmanthus        | Osmanthus fragrans<br>Osmanthus x fortunei                | 10-15 x 10-15           | Е                       | Well Drained             | Sun to Part<br>Shade   |
| Double Reeves Spirea        | Spirea cantoniensis<br>'Lanceata'                         | 4-6 x 4-6               | D                       | Well Drained             | Sun                    |
| Cleyera                     | Ternstroemia gymnanthera                                  | 8-12 x 5-6              | E                       | Well Drained             | Sun to Full<br>Shade   |
| Walter's Viburnum*          | Viburnum obovatum   | 4-12 x 4-10             | Е                       | Moist to Well<br>Drained | Sun                    |

## Shrubs—Slightly Salt Tolerant, continued

| Common Name                    | Botanical Name  | Height x<br>Spread (ft) | Evergreen/<br>Deciduous | Soil         | Exposure              |
|--------------------------------|-----------------|-------------------------|-------------------------|--------------|-----------------------|
| Tinus Viburnum,<br>Laurustinus | Viburnum tinus  | 5-7 x 5-7               | E                       | Well Drained | Sun to Part<br>Shade  |
| Weigela                        | Weigela florida | 4-6 x 4-6               | D                       | Well Drained | Sun to Light<br>Shade |

# VINES

Vines—Moderately Salt Tolerant

| Common Name           | Botanical Name                 | Height  | Evergreen/<br>Deciduous | Soil                  | Exposure           |
|-----------------------|--------------------------------|---------|-------------------------|-----------------------|--------------------|
| Climbing Fig          | Ficus pumila                   | 30'+    | Е                       | Well Drained          | Sun to Shade       |
| Carolina Jessamine*   | Gelsemium sempervirens         | 10'-20' | Е                       | Moist to Well Drained | Sun to Pt. Shade   |
| English Ivy           | Hedera helix                   | 50'+    | Е                       | Well Drained          | Sun to Shade       |
| Coral Honeysuckle*    | Lonicera sempervirens          | 10'-20' | Е                       | Moist to Well Drained | Sun to Pt. Shade   |
| Goldflame Honeysuckle | Lonicera x heckrottii          | 10'-20' | Е                       | Moist to Well Drained | Sun to Lt. Shade   |
| Virginia Creeper*     | Parthenocissus quinquefolia    | 30'+    | D                       | Moist to Well Drained | Sun to Shade       |
| Lady Banks' Rose      | Rosa banksiase 'Lutea'         | 20'     | D                       | Well Drained          | Sun to Lt. Shade   |
| Confederate Jasmine   | Trachelospermum<br>jasminoides | 15'     | E                       | Well Drained          | Sun                |
| Fatshedera            | X Fatshedera lizei             | 8'      | Е                       | Moist to Well Drained | Pt. Shade to Shade |

# **PALMS**

Palms—Highly Salt Tolerant

| Common Name             | <b>Botanical Name</b> | Height x Spread (ft.) | Soil                  | Exposure          |
|-------------------------|-----------------------|-----------------------|-----------------------|-------------------|
| Dwarf Palmetto*         | Sabal minor           | 4-6 x 4-6             | Moist to Well Drained | Sun to Part Shade |
| Cabbage Palm, Palmetto* | Sabal palmetto        | 10-20 x 10-15         | Well Drained          | Sun               |
| Saw Palmetto*           | Serenoa repens        | 3-5 x 4-8             | Moist to Well Drained | Sun to Part Shade |

Palms—Moderately Salt Tolerant

| Common Name               | Botanical Name                       | Height x Spread (ft.) | Soil         | Exposure           |
|---------------------------|--------------------------------------|-----------------------|--------------|--------------------|
| Pindo Palm, Jelly Palm    | Butia capitata                       | 10-15 x 10-15         | Well Drained | Sun                |
| Mediterranean Fan Palm    | Chamaerops humilis                   | 5-6 x 5-6             | Well Drained | Sun to Light Shade |
| King Sago<br>Emporer Sago | Cycas revoluta<br>Cycas taitungensis | 4-8 x 6<br>4-6 x 10   | Well Drained | Sun to Part Shade  |
| Needle Palm*              | Rhapidophyllum hystrix               | 5-10 x 5-10           | Well Drained | Sun to Part Shade  |
| Chinese Windmill Palm     | Trachycarpus fortunei                | 10-20 x 6-12          | Well Drained | Sun to Part Shade  |

# ORNAMENTAL GRASSES

Ornamental Grasses—Highly Salt Tolerant

| Common Name     | Botanical Name          | Height x Spread | Soil Conditions       | Exposure |
|-----------------|-------------------------|-----------------|-----------------------|----------|
| Pampas Grass    | Cortaderia selloeana    | 8' x 6'         | Moist to Well Drained | Full Sun |
| Lyme Grass      | Leymus arenarius        | 2' x 4'         | Well Drained to Xeric | Full Sun |
| Maiden Grass    | Miscanthus sinensis     | 4'-8' x 3'-6'   | Moist to Well Drained | Full Sun |
| Muhly Grass*    | Muhlenbergia capillaris | 3' x 3'         | Well Drained to Xeric | Full Sun |
| Bitter Panicum* | Panicum amarum          | 3' x 2'         | Well Drained to Xeric | Full Sun |
| Sand Cordgrass* | Spartina bakeri         | 3' x 3'         | Well Drained          | Full Sun |

## Ornamental Grass—Slightly Salt Tolerant

| Common Name    | Botanical Name           | Height x Spread | Soil Conditions       | Exposure |
|----------------|--------------------------|-----------------|-----------------------|----------|
| Panic Grass*   | Panicum virgatum         | 4'-8' x 2'-4'   | Moist to Well Drained | Full Sun |
| Fountain Grass | Pennisetum alopecuriodes | 3' x 2'         | Moist to Well Drained | Full Sun |

# PERENNIALS

Perennials—Highly Salt Tolerant

| Common Name                 | Botanical Name                          | Height x<br>Spread (ft.) | Exposure             | Soil                  |
|-----------------------------|---|--------------------------|----------------------|-----------------------|
| Blanket Flower, Gaillardia* | Gaillardia pulchella                    | 1-2 x 1-2                | Sun                  | Well Drained to Xeric |
| <u>Daylily</u>              | Hemerocallis species and hybrids        | 1-4 x 1-4                | Sun/Partial<br>Shade | Moist to Well Drained |
| Lantana                     | Lantana camara<br>Lantana montevidensis | 2-4 x 3-6                | Sun                  | Well Drained to Xeric |
| Prickly Pear Cactus*        | Opuntia compressa                       | 1-2 x 2-3                | Sun                  | Well Drained to Xeric |
| Lavender Cotton             | Santolina<br>chamaecyparissus           | 1-2 x 2                  | Sun                  | Well Drained          |
| Seaside Goldenrod*          | Solidago sempervirens                   | 4-6 x 3-4                | Sun                  | Well Drained to Xeric |

## Perennials—Moderately Salt Tolerant

| Common Name      | Botanical Name         | Height x<br>Spread (ft.) | Exposure             | Soil                  |
|------------------|------------------------|--------------------------|----------------------|-----------------------|
| Fern Leaf Yarrow | Achillea filipendulina | 3-4 x 2-3                | Sun                  | Well Drained          |
| Common Yarrow    | Achillea millefolium   | 2-3 x 3                  | Sun                  | Well Drained to Xeric |
| Agapanthus       | Agapanthus africanus   | 2-4 x 2                  | Sun to Part<br>Shade | Well Drained          |

| Common Name             | Botanical Name   | Height x<br>Spread (ft.) | Exposure              | Soil                  |
|-------------------------|--|--------------------------|-----------------------|-----------------------|
| Sea Thrift              | Armeria maritima   |                          | Sun to Part<br>Shade  | Well Drained          |
| Butterfly Weed*         | Ascelpias tuberosa                                       | 2-3 x 2-3                | Sun                   | Well Drained to Xeric |
| Asparagus Fern          | Asparagus densiflorus 'Sprengeri'                        | 2-3 x 2-3                | Sun to Part<br>Shade  | Well Drained          |
| Crinum Lily             | Crinum species and hybrids                               | 2-4 x 2-4                | Sun to Part<br>Shade  | Moist to Well Drained |
| Mexican Heather         | Cuphea hyssopifolia                                      | 1 x 2                    | Sun                   | Well Drained          |
| Hardy Ice Plant         | Hardy Ice Plant  Delosperma cooperi Delosperma nubigenum |                          | Sun                   | Well Drained to Xeric |
| Cheddar Pinks, Dianthus | Dianthus gratianopolitanus                               | 6"-1 x 1-2               | Sun                   | Well Drained to Xeric |
| Hummingbird Plant       | nmingbird Plant Dicliptera suberecta                     |                          | Sun                   | Well Drained          |
| Firebush*               | Hamelia patens   | 3-5 x 3-4                | Sun                   | Well Drained          |
| Hardy Ginger Lily       | Hedychium species and hybrids                            | 4-6 x 3-5                | Sun to Part<br>Shade  | Moist to Well Drained |
| Candytuft               | Iberis sempervirens                                      | 6"-1 x 2-3               | Sun                   | Well Drained          |
| Red False Aloe          | Hesperaloe parviflora                                    | 3-4 x 2-4                | Sun                   | Well Drained to Xeric |
| Turk's Cap*             | Malvaviscus drummondii                                   | 3-4 x 3-4                | Sun                   | Well Drained          |
| Nippon Daisy            | Nipponanthemum nipponicum                                | 2-3 x 2-3                | Sun                   | Well Drained          |
| Seashore Mallow*        | Kosteletzkya virginica                                   | 4-6 x 3-4                | Sun to Part<br>Shade  | Moist to Well Drained |
| Firecracker Plant       | Russelia equisetiformus                                  | 3-4 x 3-4                | Sun                   | Well Drained          |
| Purple Heart            | Setcreasia pallida                                       | 1 x 2                    | Sun to Light<br>Shade | Well Drained          |
| Hen and Chicks          | Sempervivum tectorum                                     | 6"-1 x 1                 | Sun                   | Well Drained to Xeric |
| Society Garlic          | Tulbughia violacea                                       | 1 x 1                    | Sun                   | Well Drained          |

# Perennials—Slightly Salt Tolerant

| Common Name        | Botanical Name  | Height x<br>Spread (ft.) | Exposure            | Soil                  |
|--------------------|---|--------------------------|---------------------|-----------------------|
| Angel's Trumpets   | Brugmansia  | 4-6 x 4-6                | Sun to Part Shade   | Well Drained          |
| Canna Lily         | Canna hybrids   | 4-8 x 2-6                | Sun to Part Shade   | Moist to Well Drained |
| Holly Fern         | Cyrtomium falcatum  | 1-2 x 1-2                | Part Shade to Shade | Moist to Well Drained |
| Golden Dewdrop     | Duranta erecta  | 3-5 x 3-5                | Sun to Part Shade   | Well Drained          |
| Purple Coneflower* | Echinacea purpurea  | 3-5 x 2-4                | Sun to Part Shade   | Well Drained          |
| Hardy Hibiscus*    | Hibiscus moscheutos<br>Hibiscus coccineus<br>Hibiscus hybrids | 4-6 x 4-6                | Sun to Light Shade  | Moist to Well Drained |

| Common Name            | Botanical Name  | Height x<br>Spread (ft.) | Exposure            | Soil                  |
|------------------------|---|--------------------------|---------------------|-----------------------|
| Angel's Trumpets       | Brugmansia  | 4-6 x 4-6                | Sun to Part Shade   | Well Drained          |
| Canna Lily             | Canna hybrids   | 4-8 x 2-6                | Sun to Part Shade   | Moist to Well Drained |
| Holly Fern             | Cyrtomium falcatum  | 1-2 x 1-2                | Part Shade to Shade | Moist to Well Drained |
| Golden Dewdrop         | Duranta erecta  | 3-5 x 3-5                | Sun to Part Shade   | Well Drained          |
| Purple Coneflower*     | Echinacea purpurea  | 3-5 x 2-4                | Sun to Part Shade   | Well Drained          |
| Hardy Hibiscus*        | Hibiscus moscheutos<br>Hibiscus coccineus<br>Hibiscus hybrids | 4-6 x 4-6                | Sun to Light Shade  | Moist to Well Drained |
| Hosta                  | Hosta species and hybrids                                     | 1-3 x 1-3                | Part to Full Shade  | Well Drained          |
| Red Hot Poker          | Kniphofia species and hybrids                                 | 2-4 x 1-3                | Sun                 | Well Drained          |
| Daffodil               | Narcissus   | 1 x 1                    | Sun to Part Shade   | Well Drained          |
| Leadwort, Blue jasmine | Plumbago auriculata   | 3-4 x 3-4                | Sun                 | Well Drained          |
| Dwarf Mexican Petunia  | Ruellia brittoniana 'Katie'                                   | 6" x 1                   | Sun to Light Shade  | Well Drained          |
| Autumn Sage*           | Salvia greggii<br>Salvia microphylla                          | 2-4 x 2-4                | Sun to Light Shade  | Well Drained          |
| Princess Flower        | Tibouchina urvilleana   | 3-5 x 3-5                | Sun to Light Shade  | Well Drained          |
| Common Thyme           | Thymus vulgaris   | 1 x 1                    | Sun                 | Well Drained          |
| Verbena*               | Verbena canadensis  | 1 x 2-3                  | Sun to Light Shade  | Moist to Well Drained |

# TURF GRASSES

| Common<br>Name       | Salt<br>Tolerance  | Drought Tolerance | Shade<br>Tolerance | Maintenance<br>Level | Fertilizer<br>Requirements | Wear<br>Tolerance |
|----------------------|--|-------------------|--------------------|----------------------|----------------------------|-------------------|
| Centipede            | Slight – high soil pH<br>often a problem for<br>centipede in coastal sites | Moderate          | Poor               | Low                  | Very Low                   | Good              |
| St.<br>Augustine     | Moderate   | Low               | Very Good          | Low - Moderate       | Moderate                   | Good              |
| Zoysia               | High   | High              | Good               | Moderate             | Moderate                   | Excellent         |
| Common<br>Bermuda    | High   | High              | Very Poor          | High                 | High                       | Excellent         |
| Hybrid<br>Bermuda    | High   | High              | Very Poor          | Very High            | Very High                  | Excellent         |
| Seashore<br>Paspalum | Very High – tolerates irrigation w/ saline water                           | Moderate          | Poor               | Moderate             | Moderate                   | Good              |

For more information about **Seashore Paspalum** see the following online factsheet: Seashore Paspalum for Florida Lawns— <a href="http://edis.ifas.ufl.edu/EP059">http://edis.ifas.ufl.edu/EP059</a>

## **Drought Tolerant Perennials**

The following drought tolerant perennials perform well in sandy, poor soils. Though they are not known to tolerate salt spray, they are recommended for coastal gardens when planted in sites sheltered from salt spray.

Common Name **Scientific Name** 'Blue Fortune' Hyssop Agastache x 'Blue Fortune' Arkansas Blue Star\* Amsonia hubrichtii Texas Firecracker\* Anisacanthus wrightii 'Powis Castle' Artemisia Artimisia x 'Powis Castle' False Wild Indigo\* Baptisia species and hybrids Wine Cups\* Callirhoe involucrata Threadleaf Coreopsis\* Coreopsis verticillata Gaura\* Gaura lindheimeri Russian Sage Perovskia hybrids Moss Pinks\* Phlox subulata 'Goldsturm' Rudbeckia\* Rudbeckia fulgida 'Goldsturm' Salvia leucantha Mexican Bush Sage Salvia x 'Indigo Spires' 'Indigo Spires' Salvia Stonecrops Sedum species Lamb's Ear Stachys byzantina

## Salt Tolerant Annuals

Most annuals do not tolerate salt spray but the following have proven to tolerant moderate levels. Most are perennials in warmer climates but are usually killed by the average winter temperatures in this area and so are best grown as annuals. In addition to those listed below, Allamanda, Bouganvilla and Mandevilla vines all tolerate moderate levels of salt spray, though are not hardy in this climate (USDA Hardiness zone 8a).

| Common Name       | Scientific Name        |
|-------------------|------------------------|
| Baby Sun Rose     | Aptenia cordifolia     |
| Blue Daze         | Evolvulus glomeratus   |
| Joseph's Coat     | Alternanthera ficoidea |
| Vinca, Periwinkle | Catharanthus roseus    |
| Pentas            | Pentas lanceolata      |
| Moss Rose         | Portulaca grandiflora  |
| Coleus            | Solenostemon hybrids   |

## **Drought Tolerant Annuals**

The following annuals do not have any known salt spray tolerance but do grow well even in sandy, poor soils and are therefore recommended for planting in coastal gardens in sheltered sites.

| Common Name        | Scientific Name            |
|--------------------|----------------------------|
| Wheat Celosia      | Celosia spicata            |
| Globe Amaranth     | Gomphrena globosa          |
| Melampodium        | Melampodium padulosum      |
| Porterweed         | Stachytarpheta jamaicensis |
| Mealycup Sage*     | Salvia farinacea           |
| Mexican Sunflower  | Tithonia rotundifolia      |
| Narrow Leaf Zinnia | Zinnia angustifolia        |
|                    |                            |

## GROUNDCOVERS

## Groundcovers—Highly Salt Tolerant

| Common Name            | Botanical Name                      | Height  | Exposure                   | Soil Conditions       |
|------------------------|-------------------------------------|---------|----------------------------|-----------------------|
| Winter Creeper         | Euonymous fortunei                  | 6"-2'   | Full Sun to Full Shade     | Well Drained          |
| 'Blue Pacific' Juniper | Juniperus conferta 'Blue Pacific'   | 12"-18" | Full Sun                   | Well Drained to Xeric |
| Spreading Liriope      | Liriope spicata                     | 12"     | Full Sun to Full Shade     | Moist to Well Drained |
| Mondograss             | Ophiopogon japonicus                | 6"-10"  | Part to Full Shade         | Well Drained          |
| Creeping Rosemary      | Rosmarinus officinalis 'Prostratus' | 12"-18" | Full Sun                   | Well Drained to Xeric |
| Golden Stonecrop       | Sedum acre                          | 4"- 6"  | Full Sun to Light<br>Shade | Well Drained          |

## Groundcovers—Moderately Salt Tolerant

| Common Name       | Botanical Name            | Height   | Exposure            | Soil Conditions       |
|-------------------|---------------------------|----------|---------------------|-----------------------|
| Beach Wormwood*   | Artemisia stelleriana     | 6"- 12"  | Full Sun            | Well Drained to Xeric |
| Silver and Gold   | Chrysanthemum pacificum   | 12"-18"  | Full Sun            | Well Drained          |
| Algerian Ivy      | Hedera canariensis        | 12"      | Light to Full Shade | Well Drained          |
| English Ivy       | Hedera helix              | 6"-12"   | Part to Full Shade  | Well Drained          |
| Creeping Juniper* | Juniperus horizontalis    | 10"-12"  | Full Sun            | Well Drained to Xeric |
| Liriope           | Liriope muscarii          | 12"- 18" | Light to Full Shade | Moist to Well Drained |
| Star Jasmine      | Trachelospermum asiaticum | 6"-8"    | Light to Part Shade | Well Drained          |

## Groundcovers—Slightly Salt Tolerant

| Common Name            | Botanical Name     | Height | Exposure            | Soil Conditions       |
|------------------------|--------------------|--------|---------------------|-----------------------|
| Cast Iron Plant        | Aspidistra elatior | 3'     | Part to Full Shade  | Well Drained          |
| Beach St. John's Wort* | Hypericum reductum | 12"    | Full Sun            | Well Drained to Xeric |
| Periwinkle, Vinca      | Vinca minor        | 6"     | Light to Full Shade | Moist to Well Drained |

#### For More Information About Listed Plants

For more information about each plant, including recommended varieties for Pender County landscapes, visit the **Recommended Plants Lists** on the Pender County Cooperative Extension website, **http://pender.ces.ncsu.edu.** Click on the Lawn & Garden link to access the lists.

Or visit the NCSU Urban Horticulture website, www.ncstate-plants.net and click on the Plant Fact Sheets link to access hundreds of fact sheets with complete details about each plant, including images.

For complete **information** about turf grass care and selection, see the individual lawn maintenance calendars and other publications available from North Carolina Cooperative Extension at your local NC Cooperative Extension office or the **NCSU TurfFiles** website: **www.turffiles.ncsu.edu** 

## REFERENCES

Black, R.J. "Salt Tolerant Plants for Florida." 26 Oct. 2004. http://edis.ifas.ufl.edu/BODY\_EP012

Black, R.J. and Edward Gilman. <u>Landscape Plants for the Gulf and South Atlantic Coast</u>. Gainesville: University Press of Florida, 2004

Chaplin, Lois Trigg. <u>The Southern Gardeners Book of List: The Best Plants for All Your Needs, Wants and Whims</u>. Dallas: Taylor Publishing, 1994.

Dirr, Michael A. Dirr's Trees and Shrubs for Warm Climates. Portland: Timber Press, 2002.

Graetz, Karl E. Seacoast Plants of the Carolinas. Raleigh: Sea Grant Publication, 1974.

Hansen, Keith. "Landscape Development for Texas Coastal Areas." 26 Oct. 2004. <a href="http://aggiehorticulture.tamu.edu/southerngarden/coastplants.html">http://aggiehorticulture.tamu.edu/southerngarden/coastplants.html</a>

Kowalsick, Tom. "Seashore Plantings." 26 Oct. 2004. http://www.cce.cornell.edu/suffolk/grownet/treselect/seashore.html

Sullivan, Barbara J. <u>Garden Perennials for the Coastal South</u>. Chapel Hill: University of North Carolina Press, 2003.

## Prepared by:

Charlotte Glen, Extension Agent
Agriculture—Horticulture
North Carolina Cooperative Extension—Pender County Center

With contributions and assistance from the following:
Matthew Martin, Area Specialized Agent – Turfgrass
David Nash, Area Specialized Agent – Coastal Management

