






## NATIVE PLANTS



## **Arkansas Blue Star**

#### Amsonia hubrictii

#### **Perennial**









• Bloom: Icy Blue

• Bloom Time: Spring

• Distinctive characteristics:

- Tough, long lived plants
- Long lasting cut flowers
- Bright green, ferny foliage
- Golden yellow Fall color





## **Eastern Red Columbine**



## Aquilegia canadensis

#### **Perennial**











Bloom Color: Red/Yellow

• Bloom Time: April - May

Distinctive characteristics:

- Lovely wildflower for shady and native gardens
- Latin name means eagle refers to the five pointed petals which resemble eagle talons
- Self seeds and will colonize
- Attracts butterflies, bees, hawk moths and hummingbirds
- Larval host for Columbine Duskywing



## Swamp Milkweed

## Aclepias incarnata

#### **Perennial**

















Bloom Color: Pink, mauve

 Bloom Time: Early to late Summer

- Distinctive characteristics:
- Attracts butterflies, bees and hummingbird moths
- Larval host for Monarchs





## Yellow Wild Indigo Baptisia tinctoria















**Bloom Color**: Yellow

**Bloom Time:** May

**Distinctive Characteristics:** 

Attracts Duskywing and Frosted Elfin butterflies

Frosted Elfin

Host for Wild Indigo

Drought Tolerant








## Green and Gold Chrysogonum virginianum



#### **Perennial**














• Bloom Color: Golden yellow

• Bloom Time: Spring

• Distinctive Characteristics:

 Clump forming plants make a great groundcover for part shade


Semi-evergreen



#### Pink Tickseed

### Coreopsis rosea

#### **Perennial**







• Soil: Moist, well-drained soil

 Bloom Color: Light lavender to pink with yellow center

- Bloom Time: Late Spring through most of Summer
- Distinctive Characteristics:
- Vigorous spreading
- Need to deadhead
- Seeds are eaten by songbirds
- The only pink form of Coreopsis





## Threadleaf Coreopsis

### Coreopsis verticillata



#### **Perennial**






















Bloom Color: Soft yellow to gold

**Bloom Time:** June-September

**Distinctive Characteristics:** 

Good for native gardens, naturalizing

Tolerates heat, humidity and shallow, rocky soil


Low maintenance



## Seashore Mallow, Saltmarsh Mallow

Kosteletzkya virginica

#### **Perennial**



- Soil: Moist, tolerates poor drainage
- Bloom: Pale to deep Pink
- Bloom Time: July to October
- Distinctive characteristics:
- Good choice for rain garden
- Prefers sand
- Attracts Butterflies and Hummingbirds



Native 👙

# Partridge Berry Mitchella repens Perennial – Evergreen














- Bloom Color: White, fragrant
- Bloom Time: Mid Spring Summer
- Distinctive characteristics:
- A prostrate plant that reaches only 2-3" tall, but will spread by trailing stems to 12" wide or more.
- Evergreen ground cover with interesting foliage, flowers and fruit-scarlet berries.
- Plant in woodland/shade gardens, under trees, part shade areas of border fronts, rock gardens, around small ponds.





## Wild Bergamot

## Monarda fistulosa












- Soil: Dry, well-drained
- Bloom Color: Pink / Lavender
- Bloom Time: July September
- Distinctive Characteristics:
- Needs good air circulation to prevent powdery mildew
- Dead head to prolong blooms
- Showy, fragrant flowers and leaf
- Tends to self-seed





## **Spotted Horsemint**

#### Monarda Punctata









- Soil: Well-drained, sandy
- Bloom Color: Lavender-pink
- Bloom Time: Summer Fall
- Distinctive Characteristics:
- Short lived but self seeds
- Also known as Spotted Bee Balm
- Attracts Hummingbirds and Butterflies





## **Eastern Beardtongue**

## Penstemon laevigatus





- Soil: Well-drained to moist
- Bloom: Mauve
- Bloom Time: Early Summer
- Distinctive characteristics:
- Tolerates some drought
- Host plant for Common Buckeye Butterfly
- Has special value to native bees
- Attracts Hummingbirds





## Narrowleaf Silkgrass

Pityopsis graminifolia



- Soil: Dry, poor, well-drained
- Bloom Color: Yellow
- Bloom Time: August November
- Foliage: Silvery, grass-like leaves, to 1 ft. long
- Distinctive Characteristics:
- Spreads by underground rhizomes to form thick colonies





## Prairie Coneflower Ratibida columnifera

#### **Perennial**



• Soil: Average, well-drained

• Bloom Color: Yellow, Red

• Bloom Time: Summer

Distinctive characteristics:

Sun-loving plant

Looks best massed together

 Good for use in beds, borders, meadow plantings and cut flowers

Attracts Butterflies and Bees

• Flower head resembles tall sombrero





## Lyreleaf Sage

Salvia lyrata

#### **Annual - Evergreen**



- Soil: Average, sandy and clay
- Bloom Color: Purple, showy
- Bloom Time: April June
- Distinctive Characteristics:
- Suggested use in rain garden
- Self seeds and naturalizes
- Part of the Mint family
- Attracts Butterflies & Hummingbirds








### Fire Pink

## Silene virginica

#### **Perennial**









• Soil: Sandy, well-drained

• Bloom Color: Scarlet Red

• Bloom Time: April - June

• Distinctive characteristics:

 This trouble free plant is perfect for a naturalized garden area

 Short-lived wildflower, best if allowed to self-seed in a meadow, woodland or rock garden

Attracts Hummingbirds








### Indian Pink

## Spigela marilandica

#### **Perennial - herbaceous**











Bloom Color: Red and yellow

Bloom Time: June

• Distinctive characteristics:

- Showy tubular flowers, low maintenance
- Shade gardens, woodland gardens
- Rated in the top ten native hummingbirdattracting plants
- Easy to propagate from seed








## Homestead Purple Verbena



Verbena canadensis 'Homestead Purple'

#### **Perennial**















• Bloom Color: Purple

 Bloom Time: Spring – will repeat bloom in summer and fall

Tough and reliable

